

Rugged two part clamp, suitable for installation as rigid supports or guides for plain or insulated vertical pipe. Easyflex offers special intermediate sizes to suit any insulated pipe OD.


Features

- Riser clamps provide a safe and effective means of enduring lateral stability while permitting axial thermal expansion / contraction when installed as pipe guides.
- Besides that table below, we offer intermediate sizes designed to closely fit the effective pipe OD for any insulation thickness.
- Available EPDM lined - to prevent contact between dissimilar materials (if used with non-ferrous pipe), minimise condensation and provide noise attenuation. Lining has a temperature range of 20°C to 110°C
- Custom designed extended riser clamps, suitable for connection to spring hanger, acoustic anchors and guides etc, are also available (MSS-SP58 Type 42).

Material : Steel

Finish : Electro galvanized post manufacture.

Other Options : EPDM Lined (Suffix 'RL')
Epoxy Powder Coated finish (Suffix 'PC')
Hot Dip Galvanised finish (Suffix 'HDG')
Stainless Steel construction (Suffix 'SS')



Ordering

- For usage with plain piping other than steel, please provide details of pipe material and OD.
- For insulated pipe, please specify effective OD or pipe size plus insulation thickness. Standard (as below) or intermediate models will be selected as appropriate.
- Where Easyflex Rubber Support Inserts (RSI) are used, specifying 'matching EFRC clamps' will suffice.
- Provide application details and specify design loads to order custom-made extended riser clamp (EFRC)

Compliance - US Standards MSS-SP58 (type 24), MSS-SP69; EG to ASTM B633 SC3, BS 1706 FE/ZN12

Part No.	Pipe Size	Length A	Metal Size (mm)	Bolt Size	Max Load Kgs
EFRC022	1/2"	200	5x25	M10	80
EFRC028	3/4"	210	5x25	M10	90
EFRC035	1"	230	5x25	M10	100
EFRC040	1 1/4"	260	5x25	M10	120
EFRC048	1 1/2"	260	5x25	M10	120
EFRC060	2"	260	5x25	M10	150
EFRC075	2 1/2"	290	6x25	M12	200
EFRC090	3"	290	6x25	M12	250
EFRC100	3 1/2"	330	6x25	M12	350
EFRC115	4"	330	6x25	M12	350
EFRC140	5"	350	6x40	M16	550
EFRC168	6"	380	6x40	M16	700
EFRC220	8"	470	9x40	M16	900
EFRC273	10"	520	9x50	M16	1100
EFRC323	12"	580	12x50	M20	1100
EFRC355	14"	610	12x50	M20	1600
EFRC406	16"	660	16x60	M20	1600
EFRC457	18"	710	16x60	M20	1900
EFRC508	20"	760	16x60	M20	1900
EFRC610	24"	880	16x60	M20	2400

- Due to policy of continual improvement, the specifications are subject to change without prior notice.
- Measurements are subject to 5% tolerance.